



RD75TL

WEIGHT REPEATER
HIGH-INTENSITY

RD75TL

WEIGHT REPEATER HIGH-INTENSITY



Declaration
of Conformity



EASE OF READING THE DISTANCE IS ALSO CONSIDERABLE

High-intensity additional display equipped with red/green lights.

Especially recommended for outdoor installations, aluminium structure with IP65 protection degree.



STRENGTHS

- VERY COMPACT AND LIGHTWEIGHT DESIGN
- 6-DIGIT NUMERIC LED DISPLAY
- SUPER BRIGHT LEDS AND AUTOMATIC BRIGHTNESS CONTROL
- INTEGRATED RED AND GREEN TRAFFIC LIGHT

MAIN FEATURES

- RD75TL is a 6-digit, numeric, red 7-segment LED display.
- The data and mains cable is connected via a supplied IP67 industrial connector.
- By using super bright LEDs and automatic brightness control the display can be easily read in both sunlight and in the dark.
- 120° viewing angle from all directions.
- It has a serial interface (RS232 and RS485) and serves as a "non-legal display" for connection to Coop Bilanciai indicators.
- The integrated mini traffic light is controlled by the data cable just like the weight display.
- No separate supply line is required for the traffic light.
- RD 75TL with traffic light is controlled either via the cyclic string "extended with traffic light" or the request protocol. Depending on the weighing indicator used.
- The parameters are set in the closed housing via the serial interface. No special cable is required.




TECHNICAL SPECIFICATIONS

- Housing: Closed anodized aluminum profile
- Dimensions: W x H x D: 480 x 150 x 80
- Digit height: 75 mm
- Unit of measure: kg, t, g o lb
- Reading distance: from 30 to 35 m
- Type of protection: IP67
- Operating temperature: -20°C to +60°C
- Interface: RS232 and RS485 9600 (4800)Bd, 8Bit,
- no Parity fix
- Power supply: 110-240VAC (approx. 10VA)
- Weight: 3.5 kg



Wall mount dimensions





HEAD OFFICE
Titan Works, Bridge Way
Chesterfield Trading Estate
Chesterfield
S41 9QJ

T: 0808 1967778

SOUTH WEST OFFICE
Unit 4B Block 4,
Westpark Chelston,
Wellington Somerset
TA21 9AD

T: 01823 662355

www.parkerfarm.com
sales@parkerfarm.com
Freephone :
Sales: 0808 1967778
Service: 0808 5015558

PARKERFARM 
WEIGHING SYSTEMS